



We Believe in Keeping you Safe





Widest Range of Safety Shoes

FOOTWEAR

Lee Cooper
JCB
Prima
Nova Safe
Liberty
Safetix



S A F E T Y S H O E S

LEE COOPER SAFETY SHOES



CE

READY

LEE COOPER HIGH ANKLE 9006

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- Full Grain Buff Leather Upper



CE

READY

LEE COOPER LOW ANKLE 9009

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- Full Grain Buff Leather Upper



CE

READY

LEE COOPER LOW ANKLE 9010

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- Full Grain Buff Leather Upper

JCB SAFETY SHOES



READY

JCB EXCAVATOR

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- Full Grain Buff Leather Upper



READY

JCB EARTHMOVER

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- Full Grain Buff Leather Upper



READY

JCB EXECUTIVE

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- Full Grain Buff Leather Upper



READY

JCB TREKKER

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- Full Grain Buff Leather Upper



READY

JCB POWER

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- Full Grain Buff Leather Upper



READY

JCB HEATMAX

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- Full Grain Buff Leather Upper

Widest RANGE of SAFETY SHOES

Lee Cooper
JCB
Prima
Nova Safe
Liberty
Safetix



S A F E T Y S H O E S



READY

JCB DIGGER

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- Full Grain Buff Leather Upper



READY

JCB CLEANPRO

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- White Breathable yet water repellent E Leather



READY

TIGER LOREX

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- Full Grain Leather Upper

LIBERTY SAFETY SHOES



READY

Liberty Warrior 7198-01

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Single Density PU Sole
- Full Grain Buff Leather Upper



READY

Liberty Warrior 7198-02

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Single Density PU Sole
- Full Grain Buff Leather Upper



READY

Liberty Warrior 7198-02(Brown)

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Single Density PU Sole
- Full Grain Buff Leather Upper



READY

Liberty Warrior 7198-254

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Single Density PU Sole
- Full Grain Buff Leather Upper



READY

Liberty Jungle Boot 7188-46

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Single Density PU Sole
- Full Grain Buff Leather Upper



READY

Liberty Jungle Boot 7188-46 BK

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density PU Sole
- Full Grain Buff Leather Upper

PRIMA SAFETY SHOES



READY

PRIMA CLASSIC

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PVC Sole
- Synthetic with Padded Collar



READY

PRIMA EON

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PVC Sole
- Synthetic with Padded Collar



READY

PRIMA BOOSTER

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PVC Sole
- Synthetic with Padded Collar



READY

PRIMA COSMO

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PVC Sole
- Synthetic with Padded Collar



READY

PRIMA DELTA

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PVC Sole
- Synthetic with Padded Collar



READY

PRIMA JET PLUS

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PVC Sole
- Synthetic with Padded Collar



READY

PRIMA CLASSIC XF

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PVC Sole
- Synthetic with Padded Collar



READY

PRIMA DERBY

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PU Sole Single Density
- Superior Quality Buff leather



READY

PRIMA GOLD

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PU Sole Single Density
- Superior Quality Buff leather



READY

PRIMA COSMO BROWN

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PVC Sole
- Synthetic with Padded Collar



READY

PRIMA EON PLUS

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PVC Sole
- Synthetic with Padded Collar



READY

PRIMA AMPTON

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PU Sole Single Density
- Superior Quality Buff leather

NOVASAFE SHOES



READY

NOVASAFE 302

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PU Sole
- Full Grain Buff Leather Upper



READY

NOVASAFE 468DD

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PU Sole
- Full Grain Buff Leather Upper



READY

NOVASAFE 275DD

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PU Sole
- Full Grain Buff Leather Upper



READY

NOVASAFE COURIER

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PU Sole Single Density
- Full Grain Buff Leather Upper



READY

NOVASAFE SAFARI BLACK

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PU Sole Single Density
- Synthetic with Padded Collar



READY

NOVASAFE SAFARI ORANGE

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PU Sole Single Density
- Synthetic with Padded Collar

PVC GUMBOOTS



READY

FORTUNE FOREVER-13

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density & Double Color Gumboot
- Upper PVC



READY

FORTUNE ATLANTIC-15

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density & Double Color Gumboot
- Upper PVC



READY

FORTUNE JUMBO-14

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Single Density & Single Color Gumboot
- Upper PVC



READY

FORTUNE AQUAMATE

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- PVC Sole Single Density
- Upper PVC



READY

FORTUNE THUNDER-11

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Single Density & Single Color Gumboot
- Upper PVC



READY

FORTUNE WINNER-10

- Oil Resistant
- Slip Resistant
- Anti-Static
- Steel Toe 200 Jules
- Double Density & Double Color Gumboot
- Upper PVC

SAFETY HELMET

3M
Prima
Hepro
Karam
Nova Safe



S A F E T Y H E L M E T S

Prima Safety Helmet



READY

PRIMA NAPE STRAP PSH-01

Brand : Prima
Type : Nape Type
Specifications : CE & ISI certified
Size : 540-590 mm
Strap : Adjustable
Colour : Red/Green/Yellow/White/Blue



READY

PRIMA EXECUTIVE PSH-02

Brand Prima
Outer Material : HDPE (High-Density Polyethylene)
Type : Executive Type
Size : 540-590 mm
Inner Material : Plastic
Colour : Red/Green/Yellow/White/Blue



READY

PRIMA RATCHET PSH-03

Brand Prima
Outer Material : HDPE (High-Density Polyethylene)
Type : Ratchet Type
Size : 540-590 mm
Inner Material : Plastic
Colour : Red/Green/Yellow/White/Blue

3M, Nova Safe, Karam & Hepro Safety Helmet



READY

3M NAPE STRAP, H-400

Brand Name : 3m
Brim Type : Front | Venting : No
Chin Cup : No | Chin Strap : Adjustable
Color : Yellow /White/Green/Red/Blue
Head Band : Yes | Head Guard : Yes
Inner Shell : Plastic | Outer Shell : HDPE
Slot : Universal | Suspension : Plastic-4 Point



READY

3M RATCHET TYPE, H402R

Brand Name : 3m
Brim Type : Front | Venting : No
Chin Cup : No | Chin Strap : Adjustable
Color : Yellow /White/Green/Red/Blue
Head Band : Yes | Head Guard : Yes
Inner Shell : Plastic | Outer Shell : HDPE
Slot : Universal | Suspension : Plastic-4 Point



READY

NOVA SAFE SAFETY HELMET

Brand : Nova Safe
Type : Nape Type/ Ratchet Type
Specifications : CE & ISI certified
Size : 540-590 mm
Strap : Adjustable
Colour : Red/Green/Yellow/White/Blue
Model : Max-01/Max-02



READY

KARAM HELMET PN501

Brand Name : Karam
Certificate : ISI & DGMS
Chin Cup : No
Chin Strap : Adjustable
Head Band : Yes
Head Guard : No
Inner Shell : Plastic
Outer Shell : HDPE
Sweat Band : Yes (Brushed cloth on foam)



READY

KARAM HELMET PN521

Brand Name : Karam
Certificate : ISI & DGMS
Chin Cup : No
Chin Strap : Adjustable
Head Band : Yes
Head Guard : No
Inner Shell : Plastic
Outer Shell : HDPE
Sweat Band : Yes (Brushed cloth on foam)



READY

HEPRO SDR HELMET

Brand Name : Hepro
Certificate : IS:2925-1984
Chin Cup : No
Chin Strap : Adjustable
Head Band : Yes
Head Guard : Yes
Inner Shell : Plastic
Outer Shell : HDPE
Suspension : Plastic-4 Point

A complete line of
HI-VISIBILITY
SAFETY WORKWEAR

NOVA SAFE, PRIMA



S A F E T Y W O R K W E A R

Nova Safe Safety Jackets



READY

SAFETY JACKET SINGLE LINE

Brand Name : Nova Safe
 Closure Type : Flap Type
 Material Type : Net/Fabric
 Reflective Tape : Size 2 inch/1Inch
 Size : 26x46inch
 Stripe : Color Silver
 Thickness in gsm : 70 GSM
 Colour: Orange/Green/Yellow



READY

SAFETY JACKET DOUBLE LINE

Brand Name : Nova Safe
 Closure Type : Flap Type
 Material Type : Net/Fabric
 Reflective Tape : Size 2 inch/1Inch
 Size : 26x46inch
 Stripe : Color Silver
 Thickness in gsm : 70 GSM
 Colour: Orange/Green/Yellow



READY

SAFETY CROSSBELT

Brand Name : Nova Safe
 Closure Type : Flap Type
 Material Type : Net/Fabric
 Reflective Tape : Size 2 inch/1Inch
 Size : 26x46inch
 Stripe : Color Silver
 Thickness in gsm : 70 GSM
 Colour: Orange/Green/Yellow



READY

SAFETY JACKET 3 SIDE OPENING V

Brand Name : Nova Safe
 Closure Type : Flap Type
 Material Type : Net/Fabric
 Reflective Tape : Size 2 inch/1Inch
 Size : 26x46inch
 Stripe : Color Silver
 Thickness in gsm : 70 GSM
 Colour: Orange/Green/Yellow



READY

SAFETY JACKET 3 SIDE OPENING X

Brand Name : Nova Safe
 Closure Type : Flap Type
 Material Type : Net/Fabric
 Reflective Tape : Size 2 inch/1Inch
 Size : 26x46inch
 Stripe : Color Silver
 Thickness in gsm : 70 GSM
 Colour: Orange/Green/Yellow



READY

PRIMA SAFETY JACKETS

Brand Name : Prima
 Closure Type : Flap Type
 Material Type : Net/Fabric
 Reflective Tape : Size 2 inch/1Inch
 Size : 30x50 inch
 Stripe : Color Silver
 Thickness in gsm : 70 GSM
 Colour: Orange/Green

Safety Coverall



READY

SAFETY COVERALL

Brand : Nova Safe
 Fabric :- Cotton & Fire Retardant Fabric.
 Colours :- Blue and Orange. | Gsm :- 220 And 280
 Certification:- Not certified
 Reflective tape: To increase visibility in night working
 Size : S, M, L, XL, XXL
 Comfortable, breathable and durable



READY

ASBESTOS COVERALL

Brand : Nova Safe
 Made from Asbestos fabric with heavy duty flannel
 Lining pasted with synthetic solution
 Single piece overall with Hood, pair of Hand Gloves
 and Safety Shoes with leather sole
 Asbestos fabric used in Apron, Heap Legging,
 Furnace Mask, Blanket and Sleeves



READY

ALUMINIZED COVERALL

Brand : Nova Safe
 Color : Silver
 Material : Aluminized cloth
 Sticking material : Kevlar thread
 Temperature bearing capacity : 1650 degree C

If you work without safety glasses, you might not die, but you could lose an eye.



SAFETY GOGGLES

S A F E T Y G O G G L E S

3M SAFETY GOGGLES



READY

3M 1709IN Clear Safety Glasses

Color Type : Black
 Frame Material : Plastic
 Lens Coating : Anti-Scratch
 Lens Color : Clear
 Lens Material : Polycarbonate
 Standards ANSI Z87.1-2003
 Key Features : Lightweight, Unisex Virtua Plus Protective Goggles. Anti-Scratch Lens Coating



READY

3M 1709IN+ CLEAR GLASSES

Certificate ANSI Z87.1-2003
 Fog Resistant : Yes
 Impact Resistant : Yes(ANSI Z87.1)
 Lens Coating : Anti-Scratch & Anti-Fog
 Lens Color : Clear
 Lens Material : Polycarbonate
 Scratch Resistance : Yes
 UV Protection : Yes



READY

3M 1710IN STINGRAYS GLASSES

Certificate ANSI Z87.1-2003
 Fog Resistant : Yes
 Impact Resistant : Yes(ANSI Z87.1)
 Lens Coating : Anti-Scratch & Anti-Fog
 Lens Color : Clear
 Lens Material : Polycarbonate
 Scratch Resistance : Yes
 UV Protection : Yes



READY

3M Safety Glasses, Grey, 1709ING

Color Type : Black
 Frame Material : Plastic
 Lens Coating : Anti-Scratch
 Lens Color : Clear
 Lens Material : Polycarbonate
 Standards ANSI Z87.1-2003
 UV Protection : Yes
 Venting : Direct



READY

3M Chemical Goggles, Clear, Protective Splash 1621IN

Certificate : ANSI Z87.1-2003
 Fog Resistant : Yes
 Frame Color : Clear
 Frame Design : Full Frame
 Frame Material : Vinyl
 Impact Resistant : Yes(ANSI Z87.1)
 Lens Coating : Anti-Scratch & Anti-Fog
 Lens Color : Clear, Lens Material : Polycarbonate



READY

3M Safety Glasses, Clear, Virtua IN 11850

Certificate : ANSI Z87.1-2003
 Frame : Color Clear
 Frame Material : Plastic
 Impact Resistant : Yes(ANSI Z87.1)
 Lens Coating : Hard Coated
 Lens Color : Clear
 Lens Material : Polycarbonate
 Scratch Resistance : Yes, UV Protection : Yes



READY

3M Safety Glasses, Clear, Virtua V3 IN 11852

Certificate : ANSI Z87.1-2003
 Frame Color : Clear
 Impact Resistant : Yes(ANSI Z87.1)
 Lens Coating : Hard Coated
 Lens Color : Clear
 Lens Material : Polycarbonate
 Scratch Resistance : Yes
 UV Protection : Yes



READY

3M Safety Glasses, Grey, Virtua AP 11815

Certificate : ANSI Z87.1-2003
 Fog Resistant : No
 Frame Color : Grey, Frame Design : AI
 Impact Resistant : Yes(ANSI Z87.1)
 Lens Coating : Anti-Scratch
 Lens Color : Grey
 Lens Material : Polycarbonate
 Scratch Resistance : Yes, Type : Impact Resistant



READY

3M Chemical Safety Goggles, Clear, Lexa Splash 16644

Certificate : CSA Z94.3-2007, ANSI Z87.1-2003
 Fog Resistant : Yes
 Frame Color : Clear, Frame Design : Full Frame
 Impact Resistant : Yes(ANSI Z87.1)
 Lens Coating : Anti-Scratch & Anti-Fog
 Lens Color Clear, Lens Material Polycarbonate
 Scratch Resistance : Yes, Type : Chemical Resistant
 UV Protection : Yes, Venting : Indirect

HEARING PROTECTION

Comfortable for a wide range of ear sizes



H E A R I N G P R O T E C T I O N

3M Ear Plugs & Ear Muff



READY

3M Corded Ear Plug, 1110

Accuracy: ± 0.03 mm
 Noise : Noise Reduction Rating: 25 Decibel
 Rating : NRR 29db/SNR 37 db
 Key Features : Soft, lightweight, comfortable to use.
 Smooth dirt resistant surface for better hygiene.
 Expands rapidly to take exact shape of ear canal.
 Bright orange colour for visibility
 Hypoallergenic



READY

3M 1100 Uncorded Ear Plug

Certificate : ANSIS3.19-1974
 Material Type : Hypo-allergenic Polyurethane Foam
 Noise Reduction Ratio : 29 dB
 Size : Universal
 Special Features : Features a cord for convenience and to prevent loss of ear plugs. Recommended for moderate to high noise (up to 100 dBA TWA).



READY

3M 1270 Reusable Ear Plug

Part Number : 1270
 Rating : NRR 24db/SNR 25db
 Specifications : Washable.
 Warranty : No Warranty
 Key Features : Soft, braided cord provides user-comfort, helps prevent loss, reduces sound vibrations from the cord.



READY

3M Ultrafit Ear Plug 340-4002

Model : EP3M-Ultrafit
 Noise Reduction Ratio : NRR 25 dB
 Standards : ANSI
 Key Features : Flange design gives the most comfortable fit of any reusable
 Comfortable fit of any reusable
 Conforms to oval shape of ear
 Washable, promotes worker hygiene
 No rolling or touching plug portion during insertion



READY

3M 1426 Multi Position Earmuff

Part Number : 1426
 Rating : NRR -21db
 Key Features : Lightweight, economical ear muffs designed
 Wide soft cushion design for increased comfort
 Easy disassembly for better hygiene
 Higher attenuation
 Di-electric



READY

3M 1436 Folding Earmuff 23 dB

Noise Reduction Ratio : 23 db
 Product Type : Over-The-Head Earmuffs
 Size : One Size Fits Most
 Key Features : No Dielectric Protection
 Soft, foam ear cushions provide comfort and secure fit.
 Can be worn with the headband behind the head for compatibility with hard hats.
 Lightweight design



READY

3M H7A Earmuff 27 dB

Model : H7A
 Rating : NRR 24db/SNR 27db
 Warranty : No Warranty
 Key Features Excellent attenuation at low and high frequencies
 Deluxe Ear Muffs greatly reduce severe noises to protect workers in just about any environment



READY

3M H9A Earmuff 26 dB


Model : H9A
 Rating : NRR 25db/SNR 31db
 Warranty No Warranty
 Key Features : Ultra Lightweight
 Most versatile earmuff
 Suitable for broad range of work areas due to better attenuation To be used upto noise levels of 98dB



READY

3M H10A Earmuff 30 dB

Model : H10A
 Rating : NRR 30db/SNR 35db
 Key Features : Ultimate protection in the most demanding noise environments.
 An unique 'double-shell' earcup design to provide the maximum in noise reduction
 Suitable for environments having noise levels of low and high frequencies



Helping Protect People at Work, at Home, for Life

RESPIRATORY PROTECTION

RESPIRATORS & MASKS

3M Disposable Dust Masks



READY

3M 9000ING Dust/Mist Respirator

Class : P1
 Color : Grey
 Exhalation Valve : No
 Headstrap Type : Staped Headband
 Model : RP3M-9000ING
 Nose Clip : Yes
 Specifications : ISI



READY

3M 9000INY Disposable Respirator

Class : P1
 Color : Yellow
 Exhalation Valve : No
 Headstrap Type : Staped Headband
 Model : RP3M-9000INY
 Nose Clip : Yes
 Specifications : ISI



READY

3M 9004IN Particulate Respirator

Exhalation Valve : No
 Nominal Protection Factor : 4 x TLV
 Nose Clip : Aluminium Nose Clip
 Specifications : AS/NZSP1 and BIS P1
 Key Features : P1 Type (> 80% Filtering Efficiency)
 Proper Fit, Aluminium Nose Clip, Comfortable Hypoallergenic, Folded (Flat/Triple), Electrets Media, Protects Against Dust Staped Headband



READY

3M 9004V Dust/Mist Respirator

Accuracy : ±0.03 mm
 Aerosol Type : Non-Oil
 Class : P1
 Exhalation Valve : Yes
 Headstrap Type : Elastic
 Key Features : Staped Headband
 Size : standard



READY

3M 8710IN+ Dust/Mist Respirator

Class : P1
 Color : White
 Exhalation Valve : No
 Face Seal : Soft Seal
 Model : RP3M-8710
 Nominal Protection Factor : 4 x O.E.L.
 Specifications : ANSI
 Size : standard



READY

3M 9010 Particulate Respirator

Class : N95
 Color : White
 Exhalation Valve : No
 Headstrap Type : Staped Headband
 Model : RP3M-9010
 Nose Clip : Adjustable Nose Clip
 Size : Standard
 Specifications : NIOSH approved



READY

3M 8210 Particulate Respirator

Class : N95
 Exhalation Valve : No
 Face Seal : Cushioning Nose Foam Pad
 Headstrap Type : Welded Headband
 Nominal Protection Factor : 4 x TLV
 Nose Clip : Yes
 Key Features : This classic disposable N95 particulate respirator is designed to help provide comfortable, reliable worker respiratory protection against certain non-oil based particles.



READY

3M 9913IN+ Organic Vapour

Class : N95
 Exhalation Valve : No
 Face Seal : Cushioning Nose Foam Pad
 Headstrap Type : Welded Headband
 Nominal Protection Factor : 4 x TLV
 Nose Clip : Yes
 Certificate BIS and EN Approved



READY

3M 8822 P2 Valved Particulate

Specifications : Maximum use level: Assigned Protection Factor: 10 x WEL (Nominal Protection Factor 12 x WEL)
 Standards : EN149:2001 FFP2, CE Marked
 Key Features : Respiratory Protection Against Moderate Levels Of Fine Dusts And Mists
 Cool Flow Valve Reduces Heat Build Up To Offer Comfortable Protection, Particularly In Hot And Humid Conditions | Reliable, Effective Protection Against Fine Particulates



R E S P I R A T O R S & M A S K S

3M Disposable Dust Masks



READY

3M 8511 Particulate Respirator

Filter : Three Layers of Filters
 Headstrap Type : Two-strap design
 Mask Size : Standard
 Material Type : Metal Pouring
 Nose Clip : Simple
 Key Features : Protection Against : Dust, Welding, Avian Influenza/SARS,



READY

3M 1200 Reusable Half Face Mask

Class : P1
 Color : Grey
 Exhalation Valve : No
 Headstrap Type : Stapled Headband
 Model : RP3M-9000ING
 Nose Clip : Yes
 Specifications : ISI
 Colour



READY

3M 1870 Health Care Respirator

Class : N95
 Efficiency 99 : Percent
 Face Seal : Cushioning Nose Foam Pad
 Nominal Protection Factor : 12 x O.E.L.
 Nose Clip : Yes | Product Type : Non-Oil
 Key Features : Stapled Headband, Nosefoam, Individually Wrapped Flame Resistance (ASTM D2859-96). No Fluid Resistant (ASTM F1862).



READY

3M Full Face Mask 6800, Medium

Certificate : EN 136:1998 (Class 1)
 Configured For : Dual Cartridge
 Connection : Bayonet
 Facepiece Material : Silicone/Thermoplastic Elastomer
 Includes : Full Facepiece Respirator
 Suspension : 4-Point
 Head Harness Material : Silicone



READY

3M Half Face Respirator, 6200

Certificate : NIOSH
 Configured For : Dual Cartridge
 Connection : Bayonet
 Facepiece Material : Thermoplastic Elastomer
 Includes : Half Facepiece Respirator
 Suspension : 4-Point
 Head Harness Material : Silicone
 Size : Medium



READY

3M Half Face Mask 7502, Medium

Certificate : NIOSH
 Color : Blue
 Configured For : Dual Cartridge
 Connection : Bayonet
 Facepiece Material : Silicone
 Includes : Half Facepiece Respirator
 Series : 7000 Series
 Suspension : 4-Point



READY

3M 3301K-55 Organic Vapor

Color : Black
 Part Number : 3301 K-55
 Warranty : No Warranty
 Key Features : Protection against Organic vapour
 It is use in the following masks: 3M 3000 and 1000 series.



READY

3M Combo of 6000 Series

Application : Spray protection
 Brand Name : 3m
 Contains : 6003, Pre-Filter and retainer
 Model : 6200
 Includes : Half Facepiece Respirator
 Suspension : 4-Point
 Head Harness Material : Silicone
 Size : Medium



READY

3M 6003/6006 Acid Gas Cartridge

Certificate : GS-07F-0374J
 Color : Yellow (NIOSH Cartridge or Filter Assigned Color Coding)
 Connection Type : Bayonet
 Protection : Organic Vapor/Acid gas
 Key Features : NIOSH approved for protection against certain organic vapors or acid gases. Swept-back design allows an enhanced field of view and comfort.

Midas
Marvel
Karam
Esab
Novasafe

SAFETY GLOVES

VIEW OUR HUGE PRODUCTS RANGE

H A N D P R O T E C T I O N

Safety Gloves (Rubber, Knitted, PU Coated & Chemical)



READY

Nova Safe Cotton Knitted Gloves

Brand Name SYS
Certificate : Not Certified
Color : White
Gauge : 10 Gauge
Glove Material : Cotton
Length : 10 inch
Weight Per Pair : 35 g



READY

Household Rubber Gloves

Brand : Nova Safe
Color : Orange
Glove Material : Rubber
Supported : No
Warranty : No Warranty
Length : 14 Inch
Size : Medium



READY

Nitrile Disposable Gloves, Blue

Color : Blue
Cuff Type : Beaded Cuff
Length in Inch : 9
Material Type : Nitrile
Warranty : No Warranty
Key Features : It is latex, It is a surgical gloves which is used in labs and hospitals



READY

Electrical Hand Gloves For 11KV

Brand Name : Elecsafe
Certificate : IS 4770:1991
Load Capacity : 0
Voltage : Maximum working voltage: 17 KV, Proof test voltage: 25 KV
Warranty : No Warranty
Length : 355 mm



READY

Electrical Gloves Natural Rubber

Area of Application : Workshop
Certification : IS: 4770, 13774.
Class : A
Color : Cream
Item Weight : 530 g
Material Type : Seamless Natural Latex Rubber
Test Voltage : 22000
Length : 355 mm



READY

Cut Resistant Gloves, Cut Level 1

Brand Name : Marvel
Certificate : CE
Coating Material : PU
Cuff Type : Elastic Cuff
Finish Type : No
Glove Material : Nylon
Lining Description : Flocklined
Material Type : Nylon



READY

Kevlar Hand Gloves

Made out of Kevlar fabric with inside blue woolen lining
Gloves stitched with 3ply Kevlar thread
Suitable for 550 deg. C for continuous operations and 850 deg. C. for short term operations
Sizes available: 12", 14", 16", 18", 20", 22", etc
Make: "U-Safe"



READY

Marvel Poly Cotton Liner with Crinkled Latex Coated Gloves

Application : Glass Industry, Material Handling, Refuse Collection, Shipping & Receiving, Construction, General Maintenance, Wood Work
Coating Material : Latex
Cuff Type : No | Finish Type : No
Lining Description : No
Material Type : Poly Cotton/Polyester
Product Information : Poly cotton or polyester fiber enables soft & convenient to wear, decreases the tiredness of users hands for longer working hours.
Standards : CE Certified



READY

PVC Dotted Hand Gloves

Disposable : Yes
Pattern : Dotted
Size : Medium, Large
Material of Construction : Cotton
Dot Material : PVC
Perfect grip
Most comfortable and durable

SAFETY HARNESS

Building
Confidence
at Height

S A F E T Y H A R N E S S

Karam & Prima Fall Protection



READY

Karam Full body Harness Pn23

Certification : EN 361:2002 | Chest Strap Buckle : Yes
Class : Class A and L | Connecting Hook : Fixed Loop
Front D-Ring : Yes | Lanyard Length : 1 m
Includes : Double Webbing Lanyard
Leg Strap Buckles : No | Material Type : Polyester
Webbing | Safe Working Load : 100 Kg
Shock Absorber : Yes | Shoulder D-Ring : No
Shoulder Strap Buckles : No | Side D-Ring : No
Type : Full Body Harness with Lanyard



READY

Karam Full body Harness Pn22

Certification : EN 361:2002 | Chest Strap Buckle : Yes
Class : Class A and L | Connecting Hook : Fixed Loop
Front D-Ring : Yes | Lanyard Length : 2 m
Includes : Double Webbing Lanyard
Leg Strap Buckles : No | Material Type : Polyester
Webbing | Safe Working Load : 100 Kg
Shock Absorber : Yes | Shoulder D-Ring : No
Shoulder Strap Buckles : No | Side D-Ring : No
Type : Full Body Harness with Lanyard



READY

Karam Full body Harness Pn16

Back D-Ring : Yes | Certificate : ISI 3521 : 1999
Certification : IS 3521:1999 | Class : Class A
Color : Red | Front D-Ring : No
Lanyard Double PP Rope Lanyard
Side D-Ring No
Size Standard
Type : Full Body Harness with Lanyard
Key Features Adjustable Thigh Straps
Adjustable Chest Straps



READY

Karam Full body Harness Ki01

Certification : EN 361:2002 | Class : Class A
Color : Green and Black
Connecting Hook : Fixed Loop
Lanyard : Double PP Rope Lanyard
Back D-Ring : Yes
Tensile Strength : 20 KN
Type : Full Body Harness with Lanyard



READY

Karam Full body Harness Pn42

Certification : EN 361:2002 and EN 358:2000
Chest Strap Buckle : No | Class : Class A, P and L
Front D-Ring : Yes | Lanyard Length : 2m
Hook Size : Connecting-Karabiner-PN112(18MM)
Anchorage-Karabiner-PN112(18MM)
Includes : Single Polyamide Rope Lanyard
Leg Strap Buckles : No | Material Type : Polyester
Webbing | Safe Working Load : 100 Kg



READY

Karam Full Body Harness,PN56(K)

Certificate : ISI CE 0120 | Lanyard : Without Lanyard
Material Type : Polyester | Specifications Met : EN
361 : 2002 & EN 358:2000 & EN 813 : 1997
Type : Full Body Harness Without Lanyard
Attachment point : Attachment Elements : 1 Dorsal
and 1 Sternal D-Rings for fall arrest, 1 Ventral D-Rings
at waist level for Rope Access work and 2 Lateral D-
Rings for work Positioning



READY

Prima A Full Body Belt, PSB-01

Type : A
Specifications : ISI & CE
Width : 40 mm
PP Rope
Rings Dorsal D rings
Strap Adjustable (chest & thigh) & sit strap
Lanyard Single



READY

Prima PP16 Safety Belt PSB-03

Thickness : 3 mm
Hook : Screw Hook PP-105
Specifications : CE, ISI & DGMS
Lanyard : Double
Webbing Width : 40 mm
Strap : Adjustable (chest & thigh) & sit strap
Ring Type : Dorsal D rings
PP Rope Size : 12 mm | Material : PP/Nylon



READY

Prima Full Body Safety Belt, PSB-05

Thickness : 3 mm
Hook : Screw Hook PP-105
Specifications : CE, ISI & DGMS
Lanyard : Double
Webbing Width : 40 mm
Strap : Adjustable (chest & thigh) & sit strap
Ring Type : Dorsal D rings
PP Rope Size : 12 mm | Material : PP/Nylon

O u r C l i e n t s



O u r C h a n n e l P a r t n e r s



Looking for innovative solutions, think Novanative
NOVANATIVE PLASTIX SOLUTIONS PVT. LTD.

Corporate Head Office :-

Delhi: 337, Basement, Prakash Mohalla, East of Kailash, New
Delhi 110065
Mob.: 09891985404
Website : www.novanativesafety.com/www.novanative.com

Contact Details:

08079454084, 011-49060409
or 9891985453, 9540879486/87
E-mail: sales@novanativesafety.com

In keeping with our policy of continuous product upgradations, specifications, design and material may change without prior notice.
No part of this catalogue, whole or in part, may be reproduced or utilized in any form or by any means without written consent from Novanative Plastix Solutions Pvt. Ltd.
*Configurations shown in the picture may differ with the actual product.

ISO 9001:2008



Follow us on

